

A1:		Company Identification			
METALON PRODUCTS – A division of Professional Products of Canada Inc. 2150 Winston Park Drive, Unit 18, Oakville, Ontario, L6H 5V1 Fax: (905) 829-4828 Tel: (905) 829-4826 Emergency No. (613) 996-6666					
A2:		Chemical Product			
METALON HI-TECH EP 1.5 GREASE					
PRODUCT NAME		METALON HI-TECH EP 1.5 GREASE			
CHEMICAL FORMULA		COMPLEX LUBRICANT			
PRODUCT FAMILY		ANTI-WEAR FRICTION FIGHTER			
MATERIAL USE		GREASE LUBRICATION			
T.D.G. CLASSIFICATION		NOT REGULATED			
B:		Composition/Information on Ingredients		C: Hazards Identification	
Hazardous Ingredients		%	T.L.V.	C.A.S. #	LD/50 Route, Species
OVER-BASED CALCIUM SULFONATE		70-90	NOT APPLICABLE	NOT APPLICABLE	NOT AVAILABLE
CHLORO ALKANES		5-30	5 mg/m3	63449-39-8	>4 g/kg ORAL
D:		First Aid Measures			
SKIN CONTACT		WASH AFFECTED AREA, REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS, CONSULT A DOCTOR.			
EYE CONTACT		FLUSH EYES WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES; GET MEDICAL ATTENTION.			
INHALATION		REMOVE VICTIM TO FRESH AIR. IF VICTIM IS NOT BREATHING, BEGIN ARTIFICIAL RESPIRATION IMMEDIATELY. GET IMMEDIATE MEDICAL ATTENTION.			
INGESTION		DILUTE WITH LARGE QUANTITIES OF WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.			
E:		Fire Fighting Measures			
FLAMMABILITY		NOT APPLICABLE			
IF YES, UNDER WHICH CONDITIONS?		NOT APPLICABLE.			
MEANS OF EXTINGUISHING		WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM			
SPECIAL PROCEDURES		KEEP STORAGE CONTAINERS COOL IN FIRE VICINITY FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING			
FLASH POINT °C (°F)		>235 °C (455 °F) CLOSED CUP			
AUTO IGNITION TEMPERATURE		NOT AVAILABLE			
UPPER EXPLOSION LIMIT		NOT APPLICABLE			
LOWER EXPLOSION LIMIT		NOT APPLICABLE			
HAZARDOUS COMBUSTION PRODUCTS		OXIDES OF CARBON			
SENSITIVITY TO STATIC DISCHARGE		NO			
SENSITIVITY TO IMPACT		NO, NOT UNDER NORMAL HANDLING CONDITIONS			
F:		Accidental Release Measures			
LEAK/SPILL		SMALL SPILLS			
		STOP FLOW, CONTAIN MATERIAL, COLLECT IN PROPER CONTAINERS. REMOVE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION.			
G:		Handling and Storage			
HANDLING PROCEDURES & EQUIPMENT		HANDLE AN OPEN CONTAINER WITH CARE. HANDLE AWAY FROM ALL SOURCES OF IGNITION. AVOID SMOKING. KEEP CONTAINER CLOSED.			
STORAGE NEEDS		KEEP AWAY FROM HEAT AND FLAME. KEEP FROM FREEZING. STORE AT ROOM TEMPERATURE IN WELL VENTILATED AREA.			
H:		Exposure Controls / Personal Protection			
PROTECTIVE EQUIPMENT					
GLOVES/TYPE		WEAR NEOPRENE GLOVES IF DIRECT CONTACT IS LIKELY			
RESPIRATORY/TYPE		WEARING OF NIOSH MASK APPROVED FOR ORGANIC VAPORS OR (SCBA), IF APPROPRIATE			
EYE/TYPE		SPLASH-PROOF SAFETY GOGGLES			
FOOTWEAR/TYPE		SAFETY BOOTS PER LOCAL REQUIREMENTS			
CLOTHING/TYPE		WEAR ADEQUATE PROTECTIVE CLOTHES			
OTHER/TYPE		EMERGENCY SHOWER AND EYE WASH STATION SHOULD BE IN CLOSE PROXIMITY TO WORK AREA			
ENGINEERING CONTROLS		LOCAL EXHAUST AT POINTS OF EMISSION			

A1:	Company Identification		
METALON PRODUCTS – A division of Professional Products of Canada Inc. 2150 Winston Park Drive, Unit 18, Oakville, Ontario, L6H 5V1 Fax: (905) 829-4828 Tel: (905) 829-4826 Emergency No. (613) 996-6666			
A2:	Chemical Product		
METALON HI-TECH EP 1.5 GREASE			
I:	Physical and Chemical Properties		
PHYSICAL STATE	PASTE	EVAPORATION RATE	NOT AVAILABLE
ODOR/APPEARANCE	PLEASANT/ GLOSSY BLUE	FREEZING POINT	NOT AVAILABLE
ODOR THRESHOLD	NOT AVAILABLE	SPECIFIC GRAVITY	1.0
VAPOR DENSITY (AIR=1)	NOT AVAILABLE	ph	NOT APPLICABLE
VAPOR PRESSURE	< 5 mg Hg	BOILING POINT	NOT AVAILABLE
VOLATILES: % BY VOLUME	0.00%	SOLUBILITY IN WATER (20 °C)	INSOLUBLE
% BY WEIGHT	0.00%	COEFFICIENT WATER/OIL DIST	NOT APPLICABLE
J:	Stability and Reactivity		
CHEMICAL STABILITY	YES. PRODUCT IS STABLE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR		
COMPATIBILITY WITH OTHER SUBSTANCES	NO, WHICH CONDITIONS? YES		
REACTIVITY, WHAT CONDITIONS?	NO. WHICH PRODUCTS? STRONG OXIDIZERS AND REDUCING AGENTS		
HAZARDOUS PRODUCTS OF DECOMPOSITION	EXCESSIVE HEAT, STRONG OXIDIZERS, ACIDS AND BASES OXIDES OF CARBON.		
K:	Toxicological Information		
ROUTE OF ENTRY: SKIN CONTACT SKIN ABSORPTION EYE CONTACT INHALATION	POSSIBLE IRRITATION LOW ORDER OF TOXICITY IRRITATION VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION, NAUSEA, HEADACHE AND DIZZINESS.		
INGESTION	MAY CAUSE NAUSEA, VOMITING, DIARRHEA, CENTRAL NERVOUS SYSTEM DEPRESSION.		
EFFECTS OF CHRONIC EXPOSURE	CONJUNCTIVITIS, TRACHEITIS, DERMATITIS, NARCOSIS.		
EFFECTS OF ACUTE EXPOSURE	NO EVIDENCE OF ADVERSE EFFECTS		
LD/50 OF MATERIAL, SPECIES & ROUTE	SEE SECTIONS (B) & (C)		
LC/50 OF MATERIAL, SPECIES & ROUTE	SEE SECTIONS (B) & (C)		
EXPOSURE LIMIT OF MATERIAL	SEE SECTIONS (B) & (C)		
IRRITATION CAUSED BY MATERIAL	SEE EFFECTS OF ACUTE EXPOSURE, SEE ROUTE OF ENTRY		
SENSITIZING CAPABILITY OF MATERIAL	IN SUSCEPTIBLE INDIVIDUALS		
CARCINOGENICITY OF MATERIAL	NONE KNOWN		
REPRODUCTIVE EFFECTS	NONE KNOWN		
MUTAGENICITY	NONE KNOWN		
TERATOGENICITY	NONE KNOWN		
SYNERGISTIC MATERIALS	NONE KNOWN		
L:	Ecological Information		
LEAK/SPILL	LARGE SPILLS:	PREVENT RUN-OFF INTO DRAINS, SEWERS AND WATERWAYS. WEAR PROTECTIVE EQUIPMENT TO PROTECT AGAINST HAZARDS & DISPOSE AS PER APPROVED LOCAL WASTE DISPOSAL METHOD. FOLLOW INSTRUCTIONS FOR SMALL SPILLS	
M:	Disposal Considerations		
WASTE DISPOSAL, METHOD & EQUIPMENT	IN ACCORDANCE WITH MUNICIPAL, PROVINCIAL AND FEDERAL REGULATIONS.		
N:	Transport Information		
T.D.G. CLASSIFICATION:	NOT REGULATED		
O:	Regulatory Information		
THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.			
P:	Other Information		
NOTE: This information and data are based on tests, reports and research we believe to be accurate and reliable. It is provided herein without warranty, guarantee or liability on our part, and are therefore provided to customers for their own investigation, verification and consideration.			